


6001 - Power track - for continuous line

Code: 132960-00

GENERAL INFORMATION



Supporting structure suitable for continuous light lines made with luminaires from the Techno System series or a combination of mixed luminaires. Quick and easy wall, ceiling or suspended mounting with the wide range of accessories. The track is supplied as standard with 5-pole, 7-pole (for EMergency and DIMMerable DALI versions) and 11-pole electrification, equipped with quick-connect terminal blocks.

The 6001 power track is available in two standard lengths 2842 mm and 4263 mm. These lengths correspond exactly to 2 and 3 linear luminaires, so the track is basically made with 2 or 3 connectors depending on its length.

Designed for quick mounting of Techno System series luminaires in a continuous light line.

- 132960-00 - 5 poles - 2842mm
- 132961-00 - 7 poles - 2842mm
- 13296146011138 - 11 poles - 2842mm
- 132965-00 - 5 poles - 4263mm
- 132966-00 - 7 poles - 4263mm
- 13296600010923 - 11 poles - 4263mm



Article	6001 - Power track - for continuous line
Code	132960-00

DIMENSIONS AND WEIGHT	
Length (mm)	2842 mm
Width (mm)	60 mm
Height (mm)	40 mm
Weight (Kg)	3.5 kg

6001 - Power track - for continuous line

Code: 132960-00

MECHANICAL CHARACTERISTICS



Impact resistance rating (IK)	IK08
IP	40

6001 - Power track - for continuous line

Code: 132960-00

MATERIALS AND COLOURS


Housing	Track body: galvanized rolled steel. With anti-cutting turned-up edges and complete with 1.5 mm ² cables.
Coating	pre-painted in oven with polyester resin, UV-stabilised, phosphate pre-treatment.
Colour	White

STANDARDS AND COMPLIANCE

Reference standards	EN60598-1. They have a degree of protection according to the EN60529 standard.
---------------------	--

WARRANTY

After sales warranty	0 yr
----------------------	------



DOWNLOAD

MOUNTS

AssemblyInstructions 6001-6002-6003 mount examples.pdf

DESIGNS

BIM 6001 powered track - 20200623.rar

TechnicalDrawing chanEL.dxf



6001 - Power track - for continuous line

Code: 132960-00

