

## 6002 - Power track - not in continuous line

Code: 132960-46002265


### GENERAL INFORMATION



Article	6002 - Power track - not in continuous line
Code	132960-46002265

### DIMENSIONS AND WEIGHT

Length (mm)	2842 mm
Width (mm)	60 mm
Height (mm)	40 mm
Weight (Kg)	3.25 kg



Supporting structure suitable for continuous light lines made with luminaires from the Techno System series or a combination of mixed luminaires. Quick and easy wall, ceiling or suspended mounting with the wide range of accessories. The track is supplied as standard with 5-pole, 7-pole (for EMergency and DIMMerable DALI versions) and 11-pole electrification, equipped with quick-connect terminal blocks.

The 6002 power track is available with a reduced number of connectors (1 or 2 respectively) for cases where fixtures need to be installed in continuous line. This will ensure greater aesthetic consistency (thanks to the absence of unused connectors) and savings.

Designed for quick mounting of Techno System series luminaires not in a continuous light line.

13296046000200 - 1 connector (left)  
13296100002265 - 1 connector (left)  
13296100002266 - 1 connector (left)

13296046002265 - 1 connector (right)  
13296100002021 - 1 connector (right)  
13296100002267 - 1 connector (right)

13296546000199 - 2 connectors (right+left)  
13296600002022 - 2 connectors (right+left)  
13296600002025 - 2 connectors (right+left)

13296546002265 - 1 connector (central)  
13296600002023 - 1 connector (central)  
13296600002268 - 1 connector (central)



## 6002 - Power track - not in continuous line

---

Code: 132960-46002265



## 6002 - Power track - not in continuous line

Code: 132960-46002265

### MATERIALS AND COLOURS



Housing	Track body: galvanized rolled steel. With anti-cutting turned-up edges and complete with 1.5 mm <sup>2</sup> cables.
Coating	pre-painted in oven with polyester resin, UV-stabilized, phosphate pre-treatment.
Colour	White

### STANDARDS AND COMPLIANCE

Reference standards	EN60598-1. With degree of protection according to EN60529.
---------------------	--

### WARRANTY

After sales warranty	0 yr
----------------------	------



### DOWNLOAD

#### MOUNTS

[AssemblyInstructions 6001-6002-6003 mount examples.pdf](#)

#### DESIGNS

[TechnicalDrawing chanEL.dxf](#)



## 6002 - Power track - not in continuous line

Code: 132960-46002265



**6606 Techno System HE - UGR - CRI 80**



**6611 Techno System HE - symmetric 90° - CRI 80**



**6612 Techno System HE - asymmetric 25° - CRI 80**



**6613 Techno System HE - bi-asymmetric 25° - CRI 80**



**6614 Techno System HE - elliptical 30°x80° - CRI 80**



**6615 Techno System HE - wide beam 60° - CRI 80**



**6616 Techno System HE - semi-spherical diffuser wide beam - CRI 80**



**6601 Techno System - asymmetric 25° - CRI 90**



**6602 Techno System - bi-asymmetric 25° - CRI 90**



**6603 Techno System - elliptical 30°x80° - CRI 90**



**6604 Techno System - wide beam 60° - CRI 90**



**6605 Techno System - semi-spherical diffuser wide beam - CRI 90**