

6003 - Power track - without connector

Code: 132970-00

GENERAL INFORMATION



Supporting structure suitable for continuous light lines made with luminaires from the Techno System series or a combination of mixed luminaires. Quick and easy wall, ceiling or suspended mounting with the wide range of accessories. The track is supplied as standard with 5-pole, 7-pole (for EMergency and DIMMerable DALI versions) and 11-pole electrification, equipped with quick-connect terminal blocks.

The 6003 power track is available without any fixed connector, because it will be connected with accessory 6620 (movable selector switch), by positioning, where desired, along the length of the track in the desired quantity. Further lengths and special configurations can be ordered prior to verification with the company.

Designed for mounting of Techno System series luminaires in any point of the track. Purchase acc. 6620 separately

- 132970-00 - 5 poles
- 132971-00 - 7 poles
- 132972-00 - 11 poles
- 132975-00 - 5 poles
- 132976-00 - 7 poles
- 132977-00 - 11 poles



Article	6003 - Power track - without connector
Code	132970-00

DIMENSIONS AND WEIGHT

Length (mm)	2842 mm
Width (mm)	60 mm
Height (mm)	40 mm
Weight (Kg)	3.3 kg

## 6003 - Power track - without connector

---

Code: 132970-00



6003 - Power track - without connector

Code: 132970-00

MATERIALS AND COLOURS

Housing	Track body: galvanized rolled steel. With anti-cutting turned-up edges and complete with 1.5 mm2 cables.
Coating	pre-painted in oven with polyester resin, UV-stabilized, phosphate pre-treatment.
Colour	White

STANDARDS AND COMPLIANCE

Reference standards	EN60598-1. With degree of protection according to EN60529.
---------------------	--

WARRANTY

After sales warranty	0 yr
----------------------	------



DOWNLOAD

MOUNTS

AssemblyInstructions 6001-6002-6003 mount examples.pdf

DESIGNS

TechnicalDrawing chanEL.dxf



**6003 - Power track - without connector**

Code: 132970-00



**6606 Techno System HE - UGR - CRI 80**



**6611 Techno System HE - symmetric 90° - CRI 80**



**6612 Techno System HE - asymmetric 25° - CRI 80**



**6613 Techno System HE - bi-asymmetric 25° - CRI 80**



**6614 Techno System HE - elliptical 30°x80° - CRI 80**



**6615 Techno System HE - wide beam 60° - CRI 80**



**6616 Techno System HE - semi-spherical diffuser wide beam - CRI 80**



**6601 Techno System - asymmetric 25° - CRI 90**



**6602 Techno System - bi-asymmetric 25° - CRI 90**



**6603 Techno System - elliptical 30°x80° - CRI 90**



**6604 Techno System - wide beam 60° - CRI 90**



**6605 Techno System - semi-spherical diffuser wide beam - CRI 90**