


# 1172 - Argon LED COB

Code: 322652-00

## GENERAL INFORMATION



Article	1172 - Argon LED COB
Code	322652-00

## DIMENSIONS AND WEIGHT

Height (mm)	525 mm
Diameter (Ø) (mm)	500 mm
Weight (Kg)	9 kg

## ELECTRICAL CHARACTERISTICS AND CONTROLS

Voltage type	AC
Min Voltage (V)	220 V
Max Voltage (V)	240 V
Min Frequency (Hz)	50 Hz
Max Frequency (Hz)	60 Hz
Frequency (Hz)	50 Hz
Wiring name	CLD
Power factor	≥0.9
Insulation class	Class I
Controllability	None




1172 Argon LED COB



## 1172 - Argon LED COB

Code: 322652-00

### PHOTOMETRIC DATA



Lighting source LED COB

CRI >70

Luminous flux (output) (lm) 14200 lm

Power absorption (total) (W) 115 W

CCT 5000 K

Luminous efficacy (lm/W) 123 lm/W

LED flux maintenance 50000 hr, L 80, B 20

### MECHANICAL CHARACTERISTICS

Impact resistance rating (IK) IK08


IP 65



# 1172 - Argon LED COB

Code: 322652-00

## MATERIALS AND COLOURS



Housing	in die-cast aluminium with cooling fins integrated in the cover.
Optics	anodised and polished 99.85 aluminium.
Diffuser	protective tempered glass, 5 mm thick, resistant to thermal shock and impact.
Heat sink	cooling fins integrated in the cover.
Coating	pre-treatment of metal surface, polyester powder coating to ensure resistance to corrosion and salt spray fogs, UV stabilised.
Colour	Grey
Equipment	waterproof connector for quick installation with no need to open the fixture

## STANDARDS AND COMPLIANCE

Photobiological safety class	RG0 Ethr
Markings and tests	CE
Reference standards	EN60598-1. With degree of protection according to EN60529.
Energy Label	C

## DOWNLOAD

### MOUNTS

[AssemblyInstructions 1172 02-23.pdf](#)

### DESIGNS

[TechnicalDrawing 1172i.dxf](#)



## WARRANTY

After sales warranty	5 yr
----------------------	------

## 1172 - Argon LED COB

---

Code: 322652-00



**1122 Protection grid**