


## 1279 - Onda LED

Code: 420325-00

### GENERAL INFORMATION



Article	1279 - Onda LED
Code	420325-00

### DIMENSIONS AND WEIGHT

Length (mm)	400 mm
Width (mm)	155 mm
Height (mm)	165 mm
Weight (Kg)	3.92 kg

### ELECTRICAL CHARACTERISTICS AND CONTROLS

Voltage type	AC
Min Voltage (V)	220 V
Max Voltage (V)	240 V
Min Frequency (Hz)	50 Hz
Max Frequency (Hz)	60 Hz
Frequency (Hz)	50 Hz
Wiring name	CLD
Power factor	≥0.9
Insulation class	Class II
Controllability	None




1279 Onda LED



## 1279 - Onda LED

Code: 420325-00

### PHOTOMETRIC DATA



Lighting source LED 2.2w + 13.2White

CRI  $\geq 80$

Luminous flux (output) (lm) 800 lm

Power absorption (total) (W) 17 W

CCT 4000 K

Luminous efficacy (lm/W) 47 lm/W

LED flux maintenance 80000 hr, L 80, B 20

### MECHANICAL CHARACTERISTICS

Impact resistance rating (IK) IK07


IP 65



# 1279 - Onda LED

Code: 420325-00

## MATERIALS AND COLOURS



Housing	in die-cast aluminium.
Diffuser	tempered glass, 8 mm thick, resistant to thermal shock and impact (UNI EN 12150-1:2001).
Coating	pre-treatment of metal surface, polyester powder coating to ensure resistance to corrosion and salt spray fogs, UV stabilised.
Special coating (UPON REQUEST)	upon request: available with coating tested to withstand corrosion tests in aggressive artificial atmospheres (UNI EN ISO 9227) or marine environments (sea front).
Colour	Graphite
Equipment	<ul style="list-style-type: none"> <li>- during installation the frame stays attached via a safety hinge mechanism that prevents it from dropping down accidentally.</li> <li>- with wall mounting plate.</li> <li>- gasket in eco-friendly material.</li> </ul>

## STANDARDS AND COMPLIANCE

Photobiological safety class	RG0
Markings and tests	CE
Reference standards	EN60598-1. With degree of protection according to EN60529.
Energy Label	C

## WARRANTY

After sales warranty	3 yr
----------------------	------

### DOWNLOAD

#### MOUNTS

[AssemblyInstructions onda 04-23.pdf](#)

#### DESIGNS

[BIM 1279 Onda LED - 20200611](#)

[TechnicalDrawing 1279.dxf](#)

