

1410 - Single tapered pole with base

Code: 425220-00

GENERAL INFORMATION



Article	1410 - Single tapered pole with base
Code	425220-00

DIMENSIONS AND WEIGHT

Weight (Kg)	0 kg
-------------	------



1410 Palo rastremato singolo con base




1410 - Single tapered pole with base

Code: 425220-00



1410 - Single tapered pole with base

Code: 425220-00



DOWNLOAD

MOUNTS

AssemblyInstructions 1410-1411-1420-1421 03-11.pdf

AssemblyInstructions 1410base.dxf

DESIGNS

TechnicalDrawing 1410.dxf

TechnicalDrawing3D disano 1410 lucerna simple.3ds



MATERIALS AND COLOURS

Housing	Hot-dip galvanised steel. With inspection window and 2 x 16A fuses, removable terminal block. Stainless steel screws. Requires the purchase of 4 anchor bolts to be buried.
Pole connection	0
Coating	thermoset polyester powder coated.
Colour	Anthracite

STANDARDS AND COMPLIANCE

Markings and tests	CE
Laboratory Tests	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY

After sales warranty	0 yr
----------------------	------

1410 - Single tapered pole with base

Code: 425220-00

