

1435 - Village

Code: 425250-00

GENERAL INFORMATION

Article	1435 - Village
Code	425250-00

DIMENSIONS AND WEIGHT

Weight (Kg)	22 kg
-------------	-------

INSTALLATION

Diameter (Ø) of pole connector (mm)	60-60 mm
-------------------------------------	----------



Pole in shaped brushed aluminium alloy 6060.

Supplied with inspection window.

2 protection fuse holders, 2 fuses (10A), removable terminal block.

Its profile makes it suitable for use in picturesque towns and municipalities.

Cylindrical cone shaped section, 180 mm diameter base, which allows plenty of room at the foot of the lamp for housing electric devices.

NOTE. Before selecting the appropriate pole, make all necessary wind pressure resistance tests, pursuant to the Standards or Legislative Decrees in force in the countries where the pole will be mounted and based on the assumed loads specified in Standard EN 40-3-1



1435 - Village

Code: 425250-00



1435 - Village

Code: 425250-00

MATERIALS AND COLOURS


Housing	Pole in shaped brushed aluminium alloy 6060.
Pole connection	60 mm
Colour	Grey, Graphite

STANDARDS AND COMPLIANCE

Markings and tests	CE
Reference standards	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY

After sales warranty	0 yr
----------------------	------



DOWNLOAD

DESIGNS

TechnicalDrawing 1435g.dxf

