

1420 - Pole with base

Code: 425320-00



1420 Palo con base



GENERAL INFORMATION

Article	1420 - Pole with base
Code	425320-00

DIMENSIONS AND WEIGHT

Weight (Kg)	0 kg
-------------	------


1420 - Pole with base

Code: 425320-00



1420 - Pole with base

Code: 425320-00



DOWNLOAD

MOUNTS

AssemblyInstructions 1410-1411-1420-1421 03-11.pdf

AssemblyInstructions 1420base.dxf

DESIGNS

TechnicalDrawing 1420.dxf

TechnicalDrawing3D disano 1420 lucerna 5mt simple.3ds



MATERIALS AND COLOURS

Housing	Hot-dip galvanised steel. With inspection window and 2 x 16A fuses, removable terminal block. Stainless steel screws. Requires the purchase of 4 anchor bolts to be buried.
Pole connection	0
Coating	thermoset polyester powder coated.
Colour	Anthracite

STANDARDS AND COMPLIANCE


Markings and tests	CE
Laboratory Tests	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY


After sales warranty	0 yr
----------------------	------

1420 - Pole with base


Code: 425320-00




3202 Lucerna Q2 LED COB




3209 Lucerna Q8 LED asymmetric



3322 Lucerna Q7 FX




3202 Lucerna Q2 LED COB - MIDNIGHT



3202 Lucerna Q2 LED



3214 Lucerna LED



3212 Lucerna R LED