


1421 - Pole to be buried

Code: 425330-00

GENERAL INFORMATION



Article	1421 - Pole to be buried
Code	425330-00

DIMENSIONS AND WEIGHT

Weight (Kg)	0 kg
-------------	------



1421 Palo da interrare




1421 - Pole to be buried

Code: 425330-00



1421 - Pole to be buried

Code: 425330-00



DOWNLOAD

MOUNTS

[AssemblyInstructions 1410-1411-1420-1421 03-11.pdf](#)

DESIGNS

[TechnicalDrawing 1421.dxf](#)

[TechnicalDrawing3D disano 1421 lucerna 5mt simple.3ds](#)



MATERIALS AND COLOURS

Housing	Hot-dip galvanised steel. With inspection window and 2 x 16A fuses, removable terminal block. Stainless steel screws.
Pole connection	0
Coating	thermoset polyester powder coated.
Colour	Anthracite

STANDARDS AND COMPLIANCE

Markings and tests	CE
Laboratory Tests	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY

After sales warranty	0 yr
----------------------	------

1421 - Pole to be buried

Code: 425330-00

