

1408 - Fluted pole ø 100 with base

Code: 426325-00



1408 Palo rigato ø100 con base



GENERAL INFORMATION

Article	1408 - Fluted pole ø 100 with base
Code	426325-00

DIMENSIONS AND WEIGHT

Weight (Kg)	18 kg
-------------	-------

INSTALLATION

Diameter (Ø) of pole connector (mm)	60-60 mm
-------------------------------------	----------

1408 - Fluted pole ø 100 with base


Code: 426325-00



1408 - Fluted pole ø 100 with base

Code: 426325-00

MATERIALS AND COLOURS



Housing	Fluted extruded aluminium, anodised by tin electroplating, 15/20µ thick. Aluminium inspection window, with 2 x 16A fuses, 4-pole/3-way terminal block = 10 mm2 shunt 2.5 mm2. Insulation Class II. Requires the purchase of 4 anchor bolts.
Pole connection	60mm
Coating	anodised by tin electroplating, 15/20µ thick, natural oxidised colour or graphite painted.
Colour	Graphite

STANDARDS AND COMPLIANCE

Markings and tests	CE
Laboratory Tests	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY

After sales warranty	0 yr
----------------------	------

DOWNLOAD

MOUNTS

AssemblyInstructions 1408-1409.pdf















DESIGNS

TechnicalDrawing 1408.dxf



1408 - Fluted pole ø 100 with base

Code: 426325-00


	1777 Musa LED cycle-pedestrian		1779 Musa LED
	3590 Ischia - rotosymmetric wide beam RW		3590 Ischia MIDNIGHT - rotosymmetric wide beam RW
	3591 Ischia - COB rotosymmetric wide beam RM		3591 Ischia MIDNIGHT - COB rotosymmetric wide beam RM
	3592 Ischia - square wide beam SW		3592 Ischia MIDNIGHT - square wide beam SW
	3596 Ischia MIDNIGHT - asymmetric wide beam AW		3594 Ischia - cycle-pedestrian asymmetric CS
	3594 Ischia MIDNIGHT - cycle pedestrian symmetric CS		3595 Ischia MIDNIGHT - asymmetric medium beam AM
	3593 Ischia - cycle-pedestrian asymmetric CA		3593 Ischia MIDNIGHT - cycle-pedestrian asymmetric CA

1408 - Fluted pole ø 100 with base


Code: 426325-00



3596 Ischia - asymmetric wide beam AW




3595 Ischia - asymmetric medium beam AM




3360 Iseo 1 - roto-symmetric




3361 Iseo 2 - street




3362 Iseo 3 - centre street




3363 Iseo 4 - cycle lane




3383 Como 1 - roto-symmetric




3384 Como 2 - asymmetric



3385 Como 3 - cycle lane




3386 Como 4 - bi-asymmetric




3350 Garda 1 - roto-symmetric




3351 Garda 2 - asymmetric




3352 Garda 3 - cycle lane





3353 Garda 4 - cycle + street




3355 Garda 5 - roto-symmetric




3355 Garda 6 - roto-symmetric






3340 Loto 1 - wide beam transparent




3340 Loto 2 - wide beam matt



3342 Loto 3 - asymmetric



3343 Loto 4 - cycle lane




3344 Loto 5 - wide beam




3345 Loto 6 - COB



3345 Loto 6 - MIDNIGHT COB




3331 Disco 2 - wide beam



3334 Disco 5 - central connection



3336 Visconti 2.0 - roto-symmetric



3337 Visconti 2.0 - street ME



3338 Visconti 2.0 - cycle lane



3339 Visconti 2.0 - large areas




3327 Visconti 2.0 - street ME




3328 Visconti 2.0 - street ME



3329 Visconti 2.0 - street ME



3280 Rolle - T1



3281 Rolle - T2

