

1415 - Steel pole with base ø159

Code: 426741-00

GENERAL INFORMATION



Ø120–159 steel pole featuring a robust and professional profile, designed for lighting systems in urban, residential and architectural contexts. The range of available diameters ensures high design flexibility and excellent structural performance. The steel construction guarantees strength and long-term durability. Available with base plate for surface installation or for in-ground mounting for a solid and discreet anchoring.



Article	1415 - Steel pole with base ø159
Code	426741-00

DIMENSIONS AND WEIGHT

Weight (Kg)	122 kg
-------------	--------

1415 - Steel pole with base ø159


Code: 426741-00



1415 - Steel pole with base ø159

Code: 426741-00

MATERIALS AND COLOURS



Housing	Hot-rolled steel, ø60 mast-top connection. Version with the base requires the purchase of 4 anchor bolts to be buried. With 2 x 16A fuses, removable 4-pole/3-way terminal block = 10mm2 and 2.5 mm2 shunt. Standard with Insulation Class II.
Pole connection	60mm
Coating	thermoset polyester powder coated.
Colour	Graphite

STANDARDS AND COMPLIANCE

Markings and tests	CE
Laboratory Tests	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY

After sales warranty	0 yr
----------------------	------

DOWNLOAD

MOUNTS

AssemblyInstructions 1415-1416 01-17.pdf

DESIGNS

TechnicalDrawing 1415.dxf

