

1418 - Steel pole ø102-159 to be buried

Code: 426773-00

GENERAL INFORMATION



Article	1418 - Steel pole ø102-159 to be buried
Code	426773-00

DIMENSIONS AND WEIGHT

Weight (Kg)	80 kg
-------------	-------



1418 Palo in acciaio ø102-159 da interrare




1418 - Steel pole ø102-159 to be buried

Code: 426773-00



1418 - Steel pole ø102-159 to be buried

Code: 426773-00



DOWNLOAD

MOUNTS

[AssemblyInstructions 1417-1418 04-14.pdf](#)

DESIGNS

[TechnicalDrawing 1418.dxf](#)

[TechnicalDrawing3D disano 1418 pole 9m.3ds](#)



MATERIALS AND COLOURS

Housing	Hot-rolled steel, ø60 mast-top connection. With 2 x 16A fuses, removable 4-pole/3-way terminal block = 10mm ² and 2.5 mm ² shunt. Supplied as standard with Insulation Class II.
Pole connection	0
Coating	thermoset polyester powder coated.
Colour	Graphite

STANDARDS AND COMPLIANCE

Markings and tests	CE
Laboratory Tests	The possibility of coupling a composition to the lamp post is subject to verification of the resistance to wind load, in the areas specified in Standard DM 14/01/2008 and according to the design load specifications in Standard EN 40-3-1.

WARRANTY

After sales warranty	0 yr
----------------------	------