

1278 - Conical

Code: 428617-00



1278 Conico



GENERAL INFORMATION

Article	1278 - Conical
Code	428617-00

DIMENSIONS AND WEIGHT

Weight (Kg)	15 kg
-------------	-------


1278 - Conical

Code: 428617-00



1278 - Conical

Code: 428617-00



MATERIALS AND COLOURS

Housing	fibreglass conical pole, corrosion-proof, with high mechanical strength and UV-stabilised
Pole connection	0
Colour	Black

STANDARDS AND COMPLIANCE

Markings and tests	CE
--------------------	----

WARRANTY

After sales warranty	0 yr
----------------------	------

DOWNLOAD

DESIGNS


TechnicalDrawing d1278.dxf

TechnicalDrawing3D disano 1278 pole 5m.3ds




1278 - Conical

Code: 428617-00



3340 Loto 2 - wide beam matt




3331 Disco 2 - wide beam



3590 Ischia - roto-symmetric wide beam RW




3590 Ischia MIDNIGHT - roto-symmetric wide beam RW



3591 Ischia - COB roto-symmetric wide beam RM



3591 Ischia MIDNIGHT - COB roto-symmetric wide beam RM



3592 Ischia - square wide beam SW



3592 Ischia MIDNIGHT - square wide beam SW



3596 Ischia MIDNIGHT - asymmetric wide beam AW




3594 Ischia - cycle-pedestrian asymmetric CS




3594 Ischia MIDNIGHT - cycle pedestrian symmetric CS



3595 Ischia MIDNIGHT - asymmetric medium beam AM


















3593 Ischia - cycle-pedestrian asymmetric CA




3593 Ischia MIDNIGHT - cycle-pedestrian asymmetric CA


1278 - Conical

Code: 428617-00





3340 Loto 1 - wide beam transparent




3342 Loto 3 - asymmetric



3343 Loto 4 - cycle lane




3344 Loto 5 - wide beam



3345 Loto 6 - COB




3345 Loto 6 - MIDNIGHT COB




3334 Disco 5 - central connection



3336 Visconti 2.0 - roto-symmetric



3337 Visconti 2.0 - street ME



3338 Visconti 2.0 - cycle lane



3339 visconti 2.0 - large areas

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of $\pm 10\%$ compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, February 21, 2024