


## 1278 - Conical

Code: 428619-00

### GENERAL INFORMATION



Article	1278 - Conical
Code	428619-00

### DIMENSIONS AND WEIGHT

Weight (Kg)	19 kg
-------------	-------



1278 Conico



## 1278 - Conical


---

Code: 428619-00



## 1278 - Conical

Code: 428619-00



### MATERIALS AND COLOURS

Housing	fibreglass conical pole, corrosion-proof, with high mechanical strength and UV-stabilised
Pole connection	0
Colour	Black

### STANDARDS AND COMPLIANCE

Markings and tests	CE
--------------------	----

### WARRANTY

After sales warranty	0 yr
----------------------	------

### DOWNLOAD

#### DESIGNS








TechnicalDrawing d1278.dxf

TechnicalDrawing3D disano 1278 pole 5m.3ds













## 1278 - Conical

Code: 428619-00



## 1278 - Conical

Code: 428619-00





**3340 Loto 1 - wide beam transparent**



**3342 Loto 3 - asymmetric**



**3343 Loto 4 - cycle lane**



**3344 Loto 5 - wide beam**



**3345 Loto 6 - COB**



**3345 Loto 6 - MIDNIGHT COB**



**3334 Disco 5 - central connection**




**3336 Visconti 2.0 - roto-symmetric**



**3337 Visconti 2.0 - street ME**



**3338 Visconti 2.0 - cycle lane**



**3339 visconti 2.0 - large areas**

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of  $\pm 10\%$  compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, February 21, 2024