


1206 - Box

Code: 431001-00



BOX is a family of wall-mounted LED luminaires featuring an essential, contemporary design, created for functional and discreet lighting of pedestrian walkways, outdoor corridors, and connecting paths. The well-controlled light distribution ensures visual comfort and safety, preventing glare and light dispersion. Its compact and robust construction makes BOX suitable for both residential and architectural applications, blending seamlessly and understatedly into any environment.



GENERAL INFORMATION

Article	1206 - Box
Code	431001-00

DIMENSIONS AND WEIGHT

Length (mm)	223 mm
Width (mm)	114 mm
Height (mm)	89 mm
Weight (Kg)	0.6 kg

INSTALLATION

Recessed dimensions - Length (mm)	215 mm
Recessed dimensions - Width (mm)	110 mm

ELECTRICAL CHARACTERISTICS AND CONTROLS

Voltage type	AC
Voltage (V)	0 V
Frequency (Hz)	0 Hz
Wiring name	CLD-S
Wiring	power supply 220-240V 50/60Hz. Rigid cable with 0.50 mm2 cross-section. 2P terminal block with max. 2.5 mm2 cross-section cables.
Power factor	>0
Insulation class	Class I
Controllability	None

1206 - Box

Code: 431001-00



PHOTOMETRIC DATA

Distribution type	Asymmetric
Lighting source	LED
CCT	0 K
LED flux maintenance	50000 hr, L 70, B 50


MECHANICAL CHARACTERISTICS

Impact resistance rating (IK)	IK08
IP	54


1206 - Box

Code: 431001-00

MATERIALS AND COLOURS



223



114

89

DOWNLOAD

MOUNTS

AssemblyInstructions box 07-20.pdf

DESIGNS

TechnicalDrawing 1206box.dxf



Housing	in fibreglass nylon, shatterproof, UV stabilised, frame in die-cast aluminium.
Diffuser	in opal plexiglass.
Coating	the fully automated powder-coating cycle involves a polyester-based, salt-spray corrosion-resistant and UV-stabilised paint.
Colour	Graphite
Equipment	silicone and EPDM rubber sealing gasket.

STANDARDS AND COMPLIANCE

Photobiological safety class	RG0
Markings and tests	CE
Reference standards	EN60598-1. They have a degree of protection according to the EN60529 standard.
Energy Label	F

WARRANTY

After sales warranty	3 yr
----------------------	------

1206 - Box

Code: 431001-00



Box - labels