

1203 - Pocket 3

Code: 431625-00



Pocket LED is a residential step light designed for both indoor and outdoor use. Available in round and square designs, these lights effortlessly combine high aesthetic appeal with exceptional functionality and are offered in both recessed and wall-mounted versions. They also deliver excellent lighting performance, thanks to advanced LED sources and premium-quality materials that ensure durability and a long service life. With their minimalist design, these technologically advanced step lights not only illuminate evening pathways but also serve as elegant decorative elements, enhancing every access point and transit route.



GENERAL INFORMATION

Article	1203 - Pocket 3
Code	431625-00

DIMENSIONS AND WEIGHT

Length (mm)	201 mm
Width (mm)	78 mm
Height (mm)	201 mm
Weight (Kg)	0.9 kg

INSTALLATION

Recessed dimensions - Length (mm)	195 mm
Recessed dimensions - Width (mm)	195 mm

ELECTRICAL CHARACTERISTICS AND CONTROLS

Voltage type	AC
Min Voltage (V)	220 V
Max Voltage (V)	240 V
Min Frequency (Hz)	50 Hz
Max Frequency (Hz)	60 Hz
Frequency (Hz)	50 Hz
Wiring name	CLD
Power factor	>0.9
Insulation class	Class I
Controllability	None

1203 - Pocket 3

Code: 431625-00



PHOTOMETRIC DATA

Lighting source	LED SMD
CRI	>80
Luminous flux (output) (lm)	321 lm
Power absorption (total) (W)	8 W
CCT	3000 K
Luminous efficacy (lm/W)	40 lm/W
LED flux maintenance	50000 hr, L 90, B 10

MECHANICAL CHARACTERISTICS

Impact resistance rating (IK)	IK08
IP	65

1203 - Pocket 3

Code: 431625-00

MATERIALS AND COLOURS


Housing	in die-cast aluminium.
Diffuser	tempered glass, resistant to thermal shock and impact
Coating	pre-treatment of metal surface, polyester powder coating to ensure resistance to corrosion and salt spray fogs, UV stabilised.
Colour	Anthracite

STANDARDS AND COMPLIANCE

Photobiological safety class	RG0
Markings and tests	CE
Reference standards	EN60598-1. With degree of protection according to EN60529.

WARRANTY

After sales warranty	3 yr
----------------------	------



DOWNLOAD

MOUNTS

AssemblyInstructions Pocket incasso 12-24.pdf

DESIGNS

TechnicalDrawing 1203.dxf

