
Code: 986604-00

EM	



	GENERAL INFORMATION
Article	600 - EM power supply kit
Code	986604-00
	DIMENSIONS AND WEIGHT
Weight (Kg)	0.4 kg
	ELECTRICAL CHARACTERISTICS AND CONTROLS
Voltage type	AC/DC
Voltage (V)	230 V

Power supply kit in the EM version complete with connectors. 98660400 kit 1h 98660431 kit 3h





Code: 986604-00





Ö.

Code: 986604-00			EMERGENCY LIGHTING
	Type of emergency	S.A.	
DOWNLOAD	Battery life-recharge	1h	
MOUNTS			STANDARDS AND COMPLIANCE
AssemblyInstructions EM-KIT 600 03-22.pdf	Markings and tests	CE	
			WARRANTY
÷ STATISTICS (STATISTIC) The Production (Statistic)	After sales warranty	5 yr	



Code: 986604-00		
	833 Creta - UGR<17	831 Rodi IP65 - UGR<22
	831 Rodi R IP65 - UGR<22	916 Ibis - UGR<16
	854 Heron - UGR<19	830 Rodi R UGR<19
	830 Rodi UGR<19	832 Rodi R UGR<22
	832 Rodi UGR<22	754 Heron - UGR<19
	840 LED Panel - UGR<19 - CRI>90	840 LED Panel R - UGR<19 - CRI>90
	842 LED Panel - UGR<19 - CRI≥80	842 LED Panel R - UGR<19 - CRI≥80



uminazione

Code: 986604-00			
	844 LED Panel HE - UGR<19 - DIP SWITCH		810 Comfortsquare - 76° - DIP SWITCH
	811 Comfortsquare - 43° - DIP SWITCH		845 Comfort Panel - IP65-IP20 - for aseptic environments
	847 Comfort Panel - IP65 - for aseptic environments		834 Rodi HE - UGR<19
	716 Ibis - UGR<16		885 Compact Dark 1 - COB - DIP SWITCH
	885 Compact Dark 2 - SMD - DIP SWITCH	Antonional Antonional Antonional Antonional Antonional Antonional	911 Health Dark UGR<19 - ø216
Gattar tar	911 Health Dark UGR<19 - ø121	Sansadani Sansadani Suisadani Yitisa	911 Health Dark UGR<19 - ø172
Salandad Salandad Salandar Salandar	911 Health Dark UGR<19 - ø172 - DIP SWITCH	tantanan trisatarina trisatarina trisatarina trisatarina	911 Health Dark UGR<19 - ø220 - DIP SWITCH
	911 Health Dark UGR<19 - ø121 - DIP SWITCH		5