

508 - Double arm


Code: 991266-00

GENERAL INFORMATION

Article	508 - Double arm
Code	991266-00

DIMENSIONS AND WEIGHT

Length (mm)	1040 mm
Width (mm)	100 mm
Height (mm)	350 mm
Weight (Kg)	9 kg



in steel, suitable for installation on poles with Ø60 connection.



## 508 - Double arm

---


Code: 991266-00



508 - Double arm

Code: 991266-00

MATERIALS AND COLOURS



Housing	in steel, suitable for installation on poles with Ø60 connection.
Pole connection	60mm
Colour	Grey9007

WARRANTY

After sales warranty	0 yr
----------------------	------

DOWNLOAD

DESIGNS

TechnicalDrawing 508.dxf











508 - Double arm

Code: 991266-00



508 - Double arm

Code: 991266-00





**3375 Mini Stelvio - high performance - street**



**3280 Rolle - T1**



**3283 Rolle - T4**



**3284 Rolle - T5**



**3290 Sella 1 - ST**



**3291 Sella 1 - STWB**



**3292 Sella 1 - asymmetric 45°**



**3293 Sella 1 - asymmetric 60°**



**3294 Sella 1 - cycle lanes**



**3295 Sella 1 - large areas**



**3296 Sella 1 - HP**



**3297 Sella 1 - HP -pedestrian crossings LH**



**3298 Sella 1 - HP -pedestrian crossings RH**



**3390 Sella 2 - ST**



**3391 Sella 2 - STWB**




**3392 Sella 2 - asymmetric 45°**



**3393 Sella 2 - asymmetric 60°**



**3395 Sella 2 - large areas**



**3396 Sella 2 - HP**



**3270 Stelvio 1 - Plus - LED**



**3274 Stelvio 2 - Plus - LED asymmetric**



**3370 Stelvio - high performance - street**



**3374 Stelvio - high performance - large areas**



**3475 Mini Giovi W1 - street**



**3275 Mini Stelvio - street**



**3276 Mini Stelvio - asymmetric**



**3281 Rolle - T2**



**3282 Rolle - T3**

Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of  $\pm 10\%$  compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Thursday, October 24, 2024