

5 - Fibreglass pole

Code: 991903-00



Fibreglass poles have a round or cone-shaped cross-section (dimensions depend on mechanical requirements). Compared with aluminium or steel poles they offer the following advantages:

- lighter weight
- less maintenance
- surfaces are not attacked by corrosive agents
- electrically insulated
- less dangerous when impact occurs
- extremely flexible in the wind.

Certificated poles: These poles are recommended for small-size luminaires (decorative factor), in private areas, (anti-vandalism factor). They can be installed both on a base or buried according to measurements.



GENERAL INFORMATION

Article	5 - Fibreglass pole
Code	991903-00

DIMENSIONS AND WEIGHT

Weight (Kg)	0.8 kg
-------------	--------

INSTALLATION

Diameter (Ø) of pole connector (mm)	60-60 mm
-------------------------------------	----------

5 - Fibreglass pole

Code: 991903-00



5 - Fibreglass pole

Code: 991903-00

MATERIALS AND COLOURS


Housing	fibreglass conical pole, corrosion-proof, with high mechanical strength and UV-stabilised
Pole connection	60mm
Colour	Black

STANDARDS AND COMPLIANCE

Markings and tests	CE
--------------------	----

WARRANTY

After sales warranty	0 yr
----------------------	------



DOWNLOAD

DESIGNS


TechnicalDrawing 5.dxf

TechnicalDrawing3D disano 5 pole 2m.3ds



5 - Fibreglass pole

Code: 991903-00



50 Base for acc.5



115 Pole cap