


5 - Fibreglass pole

Code: 991904-00

GENERAL INFORMATION



Article	5 - Fibreglass pole
Code	991904-00

DIMENSIONS AND WEIGHT

Weight (Kg)	1.2 kg
-------------	--------

INSTALLATION

Diameter (Ø) of pole connector (mm)	60-60 mm
-------------------------------------	----------



Fibreglass poles have a round or cone-shaped cross-section (dimensions depend on mechanical requirements). Compared with aluminium or steel poles they offer the following advantages:

- lighter weight
- less maintenance
- surfaces are not attacked by corrosive agents
- electrically insulated
- less dangerous when impact occurs
- extremely flexible in the wind.

Certificated poles: These poles are recommended for small-size luminaires (decorative factor), in private areas, (anti-vandalism factor). They can be installed both on a base or buried according to measurements.



5 - Fibreglass pole

Code: 991904-00



5 - Fibreglass pole

Code: 991904-00

MATERIALS AND COLOURS


Housing	fibreglass conical pole, corrosion-proof, with high mechanical strength and UV-stabilised
Pole connection	60mm
Colour	Black

STANDARDS AND COMPLIANCE

Markings and tests	CE
--------------------	----

WARRANTY

After sales warranty	0 yr
----------------------	------



DOWNLOAD

DESIGNS


[TechnicalDrawing 5.dxf](#)

[TechnicalDrawing3D disano 5 pole 2m.3ds](#)




5 - Fibreglass pole

Code: 991904-00



60 Bracket for pole



50 Base for acc.5