
Code: 993926-00



		GENERAL INFORMATION
Article	314 - Wall frame	
Code	993926-00	
		DIMENSIONS AND WEIGHT
Height (mm)	110 mm	
Diameter (Ø) (mm)	140 mm	
Weight (Kg)	0.14 kg	

in glass fibre-reinforced nylon for recess wall mounting of Microfloor






Code: 993926-00





Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 25, 2024

### Code: 993926-00



	MATERIALS AND COLOURS	
Housing	in glass fibre-reinforced nylon for recess wall mounting of Microfloor	
Colour	White	
	WARRANTY	
After sales warranty	0 yr	

DOWNLOAD

#### DESIGNS

TechnicalDrawing acc 314.dxf





Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 25, 2024

### Code: 993926-00



1634 Microfloor LED



1635 Microfloor LED RGB Fullcolor



1661 Microfloor LED - 230B



1670 Microfloor LED 230B



1650 Microfloor LED



Please contact the Consulting and Design Centre for any technical information. The reported luminous flux is the flux emitted by the light source with a tolerance of ± 10% compared to the indicated value. The total wattage absorbed by the system will not exceed 10% of the reported value. Technical lighting data may be subject to changes and improvements due to the fast evolution of the technology. Wednesday, December 25, 2024