

179 - IP677 CC wiring

Code: 997663-00

GENERAL INFORMATION


| | |
|---------|-----------------------|
| Article | 179 - IP677 CC wiring |
| Code | 997663-00 |

DIMENSIONS AND WEIGHT

| | |
|-------------|---------|
| Length (mm) | 240 mm |
| Width (mm) | 160 mm |
| Height (mm) | 115 mm |
| Weight (Kg) | 0.91 kg |

ELECTRICAL CHARACTERISTICS AND CONTROLS

| | |
|------------------|---------|
| Voltage type | AC/DC |
| Voltage (V) | 230 V |
| Wiring name | CLD |
| Insulation class | Class I |



watertight box in nylon. Containing electromechanical transformer and terminal block.



179 - IP677 CC wiring

Code: 997663-00

PHOTOMETRIC DATA

| | |
|------------------------------|-----|
| Lighting source | LED |
| Power absorption (total) (W) | 0 W |

MECHANICAL CHARACTERISTICS

| | |
|-------------------------------|------|
| Impact resistance rating (IK) | IK07 |
| IP | 67 |



179 - IP677 CC wiring

Code: 997663-00

MATERIALS AND COLOURS


| | |
|--------|-------|
| Colour | Black |
|--------|-------|

STANDARDS AND COMPLIANCE

| | |
|--------------------|----|
| Markings and tests | CE |
|--------------------|----|

WARRANTY

| | |
|----------------------|------|
| After sales warranty | 3 yr |
|----------------------|------|



DOWNLOAD

DESIGNS

TechnicalDrawing acc 179 microfloor.dxf



179 - IP677 CC wiring

Code: 997663-00



1634 Microfloor LED



1650 Microfloor LED



1872 Midifloor



1622 Starled - round



1637 Starled LED - with eyelid shield



1638 Starled LED - cross